

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	318	stateless adj protocol	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 12:40
S2	2	S1 and (establish\$3 with protocol) same header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:05
S3	89	S1 and (establish\$3 or create\$3 or improve\$1 with protocol) same header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 10:00
S4	2	header adj length same memory adj allocat\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 10:15
S5	96	header adj length same (upgrade\$1 or change\$2)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 10:37
S6	2828	pad\$4 adj memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 10:40
S7	333026	S6 and (paramater\$1 with header) and stateless ad protocol	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:03
S8	0	S6 and (paramater\$1 with header) and stateless and protocol	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:03
S9	0	S6 and (paramater\$1 with header)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:04
S10	466	S6 and header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:04
S11	330	S10 and parameter\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:04
S12	11	S11 and value adj2 type	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:09

S13	1	S6 and default adj pad\$4 adj value\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:11
S14	1	S6 and default adj pad\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:11
S15	1	S6 same message with header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:13
S16	113	S6 same message	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:22
S17	8	default adj padding	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:25
S18	151	pad\$4 adj2 memory with value\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:27
S19	42	header with (memory with data)and (parameter\$1 same value near3 type)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:03
S20	5	(save or push) same (data adj portion and header adj portion)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:12
S21	152	save adj2 parameter and save upgrade\$1 adj2 paramater	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:36
S22	128	S21 and memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:40
S23	1	S22 and pad\$4 with memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:36
S24	46	(save near3 parameter) with memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 13:41

S25	2	"5206822".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:27
S26	75065	(push\$3 or load\$2 or save\$1) near4 memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:30
S27	66715	(push\$3 or load\$2 or save\$1) near3 memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:30
S28	577	((push\$3 or load\$2 or save\$1) near3 parameter)with memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:41
S29	0	S28 and upgrade\$1 adj2 paramater and header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:31
S30	0	S28 and upgrade\$1 adj2 paramater	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:32
S31	115	S28 and header\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:32
S32	300	S28 and @py<"2000"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:44
S33	0	S32 and stateless adj protocol	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:42
S34	11	header and packet and paramter	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:44
S35	12	header and packet and paramater	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:45
S36	9428	header and packet and parameter	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:45

S37	304	S36 and ((push\$2 or save\$2 with parameter) same memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:48
S38	1845	S36 and @py <"2000"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:46
S39	4164	header same parameter	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:48
S40	124894	S39 and parameter same save or load\$2 same memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:49
S41	266	S39 and ((parameter same (save or load\$2)) same memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:53
S42	2364	stateless protocol and header adj paramter	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:53
S43	2475	stateless protocol and header adj parameter	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:54
S44	2	stateless adj protocol and header adj parameter	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/13 16:54
S45	0	compar\$3 with header with length with memory with (size or depth) with (compress\$3 or truncat\$3 or flatt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 17:17
S46	1	compar\$3 with header with (length or size) with memory with (size or depth) with (compress\$3 or truncat\$3 or flatt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 17:18
S47	1	compar\$3 with header with (length or size) with (memory or (header adj table)) with (size or depth) with (compress\$3 or truncat\$3 or flatt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 17:18

S48	11	compar\$3 with header with (length or size) with (memory or (header adj table)) with (size or depth)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 17:22
S49	24	(compress\$3 or truncat\$3 or flatt\$3) with header with fields with memory	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 17:35
S50	54	(compress\$3 or truncat\$3 or flatt\$3) with header with (fields or portion) with (memory or (context adj memory))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 17:37
S51	2276	709/236,247,249.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:16
S52	1	S51 and ((establish\$3 or generat\$3 or creat\$3 or implement\$3) with upgraded with protocol with parameter\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:18
S53	1	((establish\$3 or generat\$3 or creat\$3 or implement\$3) with upgraded with protocol with parameter\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:20
S54	1	upgraded with protocol with parameter\$1 and S51	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:29
S55	1	compar\$3 with depth with memory and (compress\$3 or truncat\$3) with header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:40
S56	311	compar\$3 with depth with memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:42
S57	0	(compar\$3 near4 depth near4 memory) with (header near4 length)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:41
S58	0	(compar\$3 near4 depth near4 memory) with header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:41

S59	0	(compar\$3 near4 depth near4 memory) near4 header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:41
S60	0	compar\$3 with depth with memory with header with length	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:41
S61	0	compar\$3 with depth with memory with header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 15:42
S62	160	S56 and @pd<="20011005"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:09
S63	1704	709/230.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:10
S64	31	S63 and upgrade\$1 with protocol	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:24
S65	4	S63 and (establish\$3 or implement\$3) with upgrade\$1 with protocol	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:27
S66	10	S63 and legacy near3 protocol	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:07
S67	2	("5610903").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:08
S68	2	("5991303").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:08
S69	0	length with header with greater with depth with (memory or buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:19

S70	3	length with header with depth with (memory or buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:22
S71	67	allocat\$3 with (memory or stack or buffer) with header with length	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:23
S72	1803	709/236,249.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/28 16:00
S73	7	S72 and stateless adj2 protocol	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/28 16:01
S74	59	S72 and IPv6 with protocol	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/28 16:12
S75	22	S72 and IPv6 near3 header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/28 16:19
S76	6	IPv6 near3 header and (push\$2 or save write) with header with memory	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/31 13:33
S77	7572626	establish with IP with version "6"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/31 13:33
S78	56	establish with ((IP with version with "6") or IPv6)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/10/31 13:34